

Null vector beta



Null Vector displays a full combination of optical and mechanical performance. The aluminium body is both a structural and an optical component for light emission control. The whole structure is generated from an escalating growth of an individual punching and cutting mould, designed in the two versions alfa and beta. This matrix is characterized by a punch pattern with three functions - luminous, perceptive, and mechanical. While, on one hand, it is the result of a well-calculated study of light emission in space, translated into a graphic element supporting perception, on the other it derives from surpassing the limits of the material's processing technology. The optical system with an energy-saving light source with E14 connection also includes a texturized glazed diffuser, which ensures uniform lighting. The multi-faceted punched structure generates a magic lighting effect evoking the product's simplicity and lightweight in all the available finishes.


Aluminium Grey Blanc Blue Orange
● ○ ● ●

LED Undimmable

☐ 750°C° IP20




W	Dimensions	Beam	Flux Lumineux (lm)	Color	Code	Nom du produit
6W	H 5.9 inch	2x16°	390lm	○	0941020A	Null Vector beta
				●	0941010A	Null Vector beta
				●	0941080A	Null Vector beta
				●	0941050A	Null Vector beta



Null vector beta LED 2x16°

	LED	luminaire
Power	6W	6W
Flux		390lm
CCT	3000K	3000K
CRI		
Color Tolerance		
Service Life		
Beam		2x16°
Efficiency		
Efficacy		55,7lm/W



Designers



› Carlotta de Bevilacqua



› Laura Pessoni